

FIBERWDM focused on development and manufacture for the commercial and industrial grade 400G, 200G, 100G, 50G, 40G, 25G, 10G, AOC and DAC transceivers, and the products are worked in the Ethernet link of data center, Fibre channel and in finiband SDR/DDR/QDR.

Quality Policy

FIBERWDM regards the product quality as the foundation of enterprise survival and development, we adheres to quality policy as below:

“ Quality first, Customer first!”

“Full participation, Continuous improvement!”.

“ No defect input, No defect manufacturing, No defect outflow.”

Services

1> Afer-sales service

FIBERWDM offers quality warranty. If the items you bought from FIBERWDM have quality problem during the guarantee period, We will, at its sole option, repair/replace the product or refund the original purchase price.

2> Technical Support

FIBERWDM set up specialized team for technical support team which will solve your problems about products operation, application or technical issues.



CATALOGUE

100G QSFP28 AOC Transceiver.....	3
40G QSFP+ AOC Transceiver.....	4
SFP AOC Transceiver.....	5
400G QSFP-DD DAC Transceiver.....	6
100G QSFP28 DAC Transceiver.....	7
40G QSFP+ DAC Transceiver.....	8
SFP DAC Transceiver.....	9

FIBERWDM's active optical cable AOC is worked in the Ethernet link of data center, Fibre channel and In finiband SDR/DDR/QDR,It has the characteristics of compact structure, light weight, low power consumption,the maximum transmission distance can reach 100 meters.

100G QSFP28 AOC Transceiver

Product Features

- ◆ Up to 27.952Gbps Data rate per channel
- ◆ Max link up to 100M on OM3 cable, and 150m on OM4 cable.
- ◆ High reliability 850nm VCSEL technology
- ◆ Electrically hot-pluggable
- ◆ Low power consumption
- ◆ Low EMI design




Ordering information

Product Number	Data Rate	Cable Spec.	Reach	Interface
QSFP28-100G-AOC1M	100G	OM3	1M	QSFP28 to QSFP28
QSFP28-100G-AOC10M	100G	OM3	10M	QSFP28 to QSFP28
QSFP28-100G-AOC100M	100G	OM3	100M	QSFP28 to QSFP28
QSFP28-100G-AOC150M	100G	OM4	150M	QSFP28 to QSFP28
QSFP28-4X25G-AOC1M	100G	OM3	1M	QSFP28 to 4XSFP28
QSFP28-4X25G-AOC10M	100G	OM3	10M	QSFP28 to 4XSFP28
QSFP28-4X25G-AOC30M	100G	OM3	30M	QSFP28 to 4XSFP28
Others				

40G QSFP+ AOC Transceiver

Product Features

- ◆ Up to 4*10Gbps Data
- ◆ Max link up to 100M on OM3 cable, and 150m on OM4 cable.
- ◆ High reliability 850nm VCSEL technology
- ◆ Electrically hot-pluggable
- ◆ Low power consumption
- ◆ Low EMI design



Ordering information

Product Number	Data Rate	Cable Spec.	Reach	Interface
QSFP-40G-AOC1M	40G	OM3	1M	QSFP+ to QSFP+
QSFP-40G-AOC10M	40G	OM3	10M	QSFP+ to QSFP+
QSFP-40G-AOC100M	40G	OM3	100M	QSFP+ to QSFP+
QSFP-40G-AOC150M	40G	OM4	150M	QSFP+ to QSFP+
QSFP-4X10G-AOC1M	40G	OM3	1M	QSFP+ to 4XSFP
QSFP-4X10G-AOC10M	40G	OM3	10M	QSFP+ to 4XSFP
QSFP-4X10G-AOC30M	40G	OM3	30M	QSFP+ to 4XSFP
Others				

SFP AOC Transceiver

Product Features

- ◆ SFP+ 10G data, SFP28 25G data
- ◆ High reliability 850nm VCSEL technology
- ◆ Electrically hot-pluggable
- ◆ Low power consumption
- ◆ Low EMI design



Ordering information

Product Number	Data Rate	Cable Spec.	Reach	Interface
SFP-10G-AOC1M	10G	OM3	1M	SFP+ to SFP+
SFP-10G-AOC10M	10G	OM3	10M	SFP+ to SFP+
SFP-10G-AOC100M	10G	OM3	100M	SFP+ to SFP+
SFP28-25G-AOC1M	25G	OM3	1M	SFP28 to SFP28
SFP28-25G-AOC10M	25G	OM3	10M	SFP28 to SFP28
SFP28-25G-AOC30M	25G	OM3	30M	SFP28 to SFP28
Others				

FIBERWDM Direct Attach Cable can meet the requirements of low-cost and low power consumption of the data center, and reach the high-density port settings, Cost effective short distance interconnection solution,It is widely used in data center, cloud computing, transmission network and other fields.

400G QSFP-DD DAC Transceiver

Product Features

- ◆ QSFP-DD MSA, Up to 8x 53.125Gb/s
- ◆ High reliability 850nm VCSEL technology
- ◆ Electrically hot-pluggable
- ◆ Low power consumption
- ◆ Low EMI design



Order information

Product Number	Data Rate	Cable Spec.	Reach	Interface
QSFPDD-400G-CU1M	400G	30AWG	1M	QSFP-DD to QSFP-DD
QSFPDD-400G-CU2M	400G	30AWG	2M	QSFP-DD to QSFP-DD
QSFPDD-400G-CU3M	400G	26AWG	3M	QSFP-DD to QSFP-DD
QSFPDD-8X50G-CU1M	400G	30AWG	1M	QSFP-DD to 8SFP56
QSFPDD-8X50G-CU2M	400G	30AWG	2M	QSFP-DD to 8SFP56
QSFPDD-8X50G-CU3M	400G	26AWG	3M	QSFP-DD to 8SFP56
Others				

100G QSFP28 DAC Transceiver

Product Features

- ◆ QSFP28 MSA, Up to 4x 25Gb/s
- ◆ High reliability 850nm VCSEL technology
- ◆ Electrically hot-pluggable
- ◆ Low power consumption
- ◆ Low EMI design



Order information

Product Number	Data Rate	Cable Spec.	Reach	Interface
QSFP28-100G-CU1M	100G	30AWG	1M	QSFP28 to QSFP28
QSFP28-100G-CU3M	100G	30AWG	3M	QSFP28 to QSFP28
QSFP28-100G-CU5M	100G	26AWG	5M	QSFP28 to QSFP28
QSFP28-4X25G-CU1M	100G	30AWG	1M	QSFP28 to 4SFP28
QSFP28-4X25G-CU3M	100G	30AWG	3M	QSFP28 to 4SFP28
QSFP28-4X25G-CU5M	100G	26AWG	5M	QSFP28 to 4SFP28
Others				

40G QSFP+ DAC Transceiver

Product Features

- ◆ QSFP+ MSA, Up to 4x10Gb/s, 40G
- ◆ High reliability 850nm VCSEL technology
- ◆ Electrically hot-pluggable
- ◆ Low power consumption
- ◆ Low EMI design



Order information

Product Number	Data Rate	Cable Spec.	Reach	Interface
QSFP-40G-CU1M	40G	30AWG	1M	QSFP+ to QSFP+
QSFP-40G-CU3M	40G	30AWG	3M	QSFP+ to QSFP+
QSFP-40G-CU5M	40G	26AWG	5M	QSFP+ to QSFP+
QSFP-40G-CU7M	40G	24AWG	7M	QSFP+ to QSFP+
QSFP-4X10G-CU1M	40G	30AWG	1M	QSFP+ to QSFP+
QSFP-4X10G-CU3M	40G	30AWG	3M	QSFP+ to QSFP+
QSFP-4X10G-CU5M	40G	26AWG	5M	QSFP+ to QSFP+
Others				

SFP DAC Transceiver

Product Features

- ◆ SFP+ 10Gb/s MSA, SFP28 25Gb/s MSA,
- ◆ High reliability 850nm VCSEL technology
- ◆ Electrically hot-pluggable
- ◆ Low power consumption
- ◆ Low EMI design



Order information

Product Number	Data Rate	Cable Spec.	Reach	Interface
SFP-10G-CU1M	10G	30AWG	1M	SFP+ to SFP+
SFP-10G-CU3M	10G	30AWG	3M	SFP+ to SFP+
SFP-10G-CU5M	10G	24AWG	5M	SFP+ to SFP+
SFP-10G-CU10M	10G	24AWG	10M	SFP+ to SFP+
SFP28-25-CU1M	25G	30AWG	1M	SFP28 to SFP28
SFP28-25G-CU3M	25G	30AWG	3M	SFP28 to SFP28
SFP28-25G-CU5M	25G	26AWG	5M	SFP28 to SFP28
Others				